



wwPDB X-ray Structure Validation Summary Report ⓘ

May 19, 2020 – 03:31 am BST

PDB ID : 6C1K
Title : HypoPP mutant with ligand1
Authors : Catterall, W.A.; Zheng, N.; Jiang, D.; Gamal El-Din, T.M.
Deposited on : 2018-01-04
Resolution : 2.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	285	 5% 59% 16% • 22%
1	B	285	 6% 59% 18% • 22%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GAI	A	1301	-	X	-	-
3	PX4	A	1308	-	-	-	X
5	SO4	A	1313	-	-	X	-
5	SO4	B	2312	-	-	X	-

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 4059 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ion transport protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	221	1802	1228	267	294	13	0	0	0
1	B	221	1803	1229	267	294	13	0	0	0

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	983	MET	-	initiating methionine	UNP A8EVM5
A	984	ASP	-	expression tag	UNP A8EVM5
A	985	TYR	-	expression tag	UNP A8EVM5
A	986	LYS	-	expression tag	UNP A8EVM5
A	987	ASP	-	expression tag	UNP A8EVM5
A	988	ASP	-	expression tag	UNP A8EVM5
A	989	ASP	-	expression tag	UNP A8EVM5
A	990	ASP	-	expression tag	UNP A8EVM5
A	991	LYS	-	expression tag	UNP A8EVM5
A	992	GLY	-	expression tag	UNP A8EVM5
A	993	SER	-	expression tag	UNP A8EVM5
A	994	LEU	-	expression tag	UNP A8EVM5
A	995	VAL	-	expression tag	UNP A8EVM5
A	996	PRO	-	expression tag	UNP A8EVM5
A	997	ARG	-	expression tag	UNP A8EVM5
A	998	GLY	-	expression tag	UNP A8EVM5
A	999	SER	-	expression tag	UNP A8EVM5
A	1000	HIS	-	expression tag	UNP A8EVM5
A	1102	GLY	ARG	engineered mutation	UNP A8EVM5
A	1217	CYS	ILE	engineered mutation	UNP A8EVM5
B	1983	MET	-	initiating methionine	UNP A8EVM5
B	1984	ASP	-	expression tag	UNP A8EVM5
B	1985	TYR	-	expression tag	UNP A8EVM5
B	1986	LYS	-	expression tag	UNP A8EVM5
B	1987	ASP	-	expression tag	UNP A8EVM5

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	1988	ASP	-	expression tag	UNP A8EVM5
B	1989	ASP	-	expression tag	UNP A8EVM5
B	1990	ASP	-	expression tag	UNP A8EVM5
B	1991	LYS	-	expression tag	UNP A8EVM5
B	1992	GLY	-	expression tag	UNP A8EVM5
B	1993	SER	-	expression tag	UNP A8EVM5
B	1994	LEU	-	expression tag	UNP A8EVM5
B	1995	VAL	-	expression tag	UNP A8EVM5
B	1996	PRO	-	expression tag	UNP A8EVM5
B	1997	ARG	-	expression tag	UNP A8EVM5
B	1998	GLY	-	expression tag	UNP A8EVM5
B	1999	SER	-	expression tag	UNP A8EVM5
B	2000	HIS	-	expression tag	UNP A8EVM5
B	2102	GLY	ARG	engineered mutation	UNP A8EVM5
B	2217	CYS	ILE	engineered mutation	UNP A8EVM5

- Molecule 2 is GUANIDINE (three-letter code: GAI) (formula: CH_5N_3) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total	0	0
			C		
4	1	3			
2	B	1	Total	0	0
			C		
4	1	3			

- Molecule 3 is 1,2-DIMYRISTOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PX4) (formula: $\text{C}_{36}\text{H}_{73}\text{NO}_8\text{P}$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O P 10 3 6 1	0	0
3	A	1	Total C N O P 46 36 1 8 1	0	0
3	A	1	Total C O 16 14 2	0	0
3	A	1	Total C O P 23 16 6 1	0	0
3	A	1	Total C 6 6	0	0
3	A	1	Total C O P 41 32 8 1	0	0
3	A	1	Total C O 20 17 3	0	0
3	A	1	Total C O 17 15 2	0	0
3	A	1	Total C O 17 15 2	0	0
3	B	1	Total C N O P 37 27 1 8 1	0	0
3	B	1	Total C N O P 46 36 1 8 1	0	0
3	B	1	Total C O 16 14 2	0	0
3	B	1	Total C O 17 15 2	0	0
3	B	1	Total C N O P 38 28 1 8 1	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total C N O P 46 36 1 8 1	0	0
3	B	1	Total C O P 25 17 7 1	0	0
3	B	1	Total C 6 6	0	0

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	2	Total Na 2 2	0	0
4	A	2	Total Na 2 2	0	0

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total O S 5 4 1	0	0
5	B	1	Total O S 5 4 1	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total O 1 1	0	0
6	B	4	Total O 4 4	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	126.39Å 126.23Å 191.53Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.31 – 2.70 42.31 – 2.70	Depositor EDS
% Data completeness (in resolution range)	97.0 (42.31-2.70) 97.0 (42.31-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.63 (at 2.69Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.210 , 0.246 0.214 , 0.244	Depositor DCC
R_{free} test set	1981 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	68.6	Xtrriage
Anisotropy	0.407	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 82.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	0.469 for k,h,-l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4059	wwPDB-VP
Average B, all atoms (Å ²)	98.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, SO4, GAI, PX4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/1852	0.58	1/2519 (0.0%)
1	B	0.50	0/1854	0.58	0/2522
All	All	0.50	0/3706	0.58	1/5041 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1037	PHE	CG-CD1-CE1	5.58	126.94	120.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1802	0	1870	37	0
1	B	1803	0	1873	38	0
2	A	4	0	5	0	0
2	B	4	0	4	0	0
3	A	196	0	281	9	0
3	B	231	0	339	17	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	5	0	0	2	0
5	B	5	0	0	2	0
6	A	1	0	0	0	0
6	B	4	0	0	0	0
All	All	4059	0	4372	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 84 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1162:THR:HG22	1:A:1165:GLU:H	1.41	0.84
1:B:2162:THR:HG22	1:B:2165:GLU:H	1.43	0.83
1:B:2197:PHE:HB2	3:B:2307:PX4:H50	1.64	0.80
1:A:1085:ALA:HA	1:A:1088:LEU:HD12	1.74	0.70
3:A:1308:PX4:H45	3:B:2307:PX4:H40	1.75	0.69

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	219/285 (77%)	202 (92%)	16 (7%)	1 (0%)	29	54
1	B	219/285 (77%)	203 (93%)	16 (7%)	0	100	100
All	All	438/570 (77%)	405 (92%)	32 (7%)	1 (0%)	47	73

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1114	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	202/263 (77%)	191 (95%)	11 (5%)	22	47
1	B	202/263 (77%)	194 (96%)	8 (4%)	31	60
All	All	404/526 (77%)	385 (95%)	19 (5%)	26	54

5 of 19 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1163	LEU
1	A	1205	VAL
1	B	2083	VAL
1	A	1162	THR
1	B	2095	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry i

Of 25 ligands modelled in this entry, 4 are monoatomic - leaving 21 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PX4	A	1304	-	12,15,45	0.79	0	11,15,53	0.74	0
3	PX4	B	2304	-	16,16,45	1.21	1 (6%)	16,16,53	0.90	1 (6%)
3	PX4	B	2301	-	36,36,45	1.31	5 (13%)	42,44,53	1.31	3 (7%)
3	PX4	B	2308	-	24,24,45	1.10	1 (4%)	27,28,53	1.15	1 (3%)
3	PX4	A	1305	-	22,22,45	1.06	2 (9%)	25,26,53	1.43	2 (8%)
5	SO4	A	1313	-	4,4,4	0.21	0	6,6,6	0.36	0
3	PX4	A	1308	-	19,19,45	1.22	1 (5%)	19,19,53	1.10	2 (10%)
3	PX4	B	2309	-	5,5,45	0.77	0	4,4,53	0.48	0
3	PX4	A	1306	-	5,5,45	0.75	0	4,4,53	0.49	0
5	SO4	B	2312	-	4,4,4	0.19	0	6,6,6	0.26	0
3	PX4	B	2302	-	45,45,45	1.14	3 (6%)	51,53,53	1.04	3 (5%)
3	PX4	A	1302	-	9,9,45	0.94	1 (11%)	11,12,53	0.64	0
3	PX4	A	1309	-	16,16,45	1.33	2 (12%)	16,16,53	0.94	1 (6%)
3	PX4	B	2306	-	37,37,45	1.22	3 (8%)	43,45,53	1.14	2 (4%)
3	PX4	A	1307	-	40,40,45	1.07	2 (5%)	43,45,53	1.17	3 (6%)
3	PX4	B	2303	-	12,15,45	0.76	0	11,15,53	0.84	0
2	GAI	B	2305	-	3,3,3	2.97	2 (66%)	3,3,3	1.27	0
3	PX4	A	1310	-	16,16,45	1.17	1 (6%)	16,16,53	1.00	1 (6%)
2	GAI	A	1301	-	3,3,3	4.27	3 (100%)	3,3,3	1.10	0
3	PX4	B	2307	-	45,45,45	1.15	3 (6%)	51,53,53	1.42	6 (11%)
3	PX4	A	1303	-	45,45,45	1.19	3 (6%)	51,53,53	1.08	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PX4	A	1304	-	-	5/11/13/49	-
3	PX4	B	2304	-	-	6/15/15/49	-
3	PX4	B	2301	-	-	15/40/40/49	-
3	PX4	B	2308	-	-	15/24/24/49	-
3	PX4	A	1305	-	-	8/22/22/49	-
3	PX4	A	1308	-	-	10/18/18/49	-
3	PX4	B	2309	-	-	2/3/3/49	-
3	PX4	A	1306	-	-	1/3/3/49	-
3	PX4	B	2302	-	-	31/49/49/49	-
3	PX4	A	1302	-	-	8/8/8/49	-
3	PX4	A	1309	-	-	6/15/15/49	-
3	PX4	B	2306	-	-	15/41/41/49	-
3	PX4	A	1307	-	-	21/44/44/49	-
3	PX4	B	2303	-	-	5/11/13/49	-
3	PX4	A	1310	-	-	6/15/15/49	-
3	PX4	B	2307	-	-	31/49/49/49	-
3	PX4	A	1303	-	-	25/49/49/49	-

The worst 5 of 33 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1301	GAI	C-N1	5.81	1.42	1.30
3	B	2301	PX4	O5-C9	4.25	1.45	1.33
3	A	1308	PX4	O5-C9	4.01	1.45	1.33
2	A	1301	GAI	C-N2	3.90	1.43	1.36
3	A	1307	PX4	O5-C9	3.89	1.44	1.33

The worst 5 of 27 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	2307	PX4	O7-C23-C24	5.74	123.86	111.50
3	B	2301	PX4	O7-C23-C24	4.91	122.09	111.50
3	A	1303	PX4	O7-C23-C24	4.72	121.66	111.50
3	A	1307	PX4	O7-C23-C24	4.22	120.59	111.50
3	A	1305	PX4	O7-C23-C24	4.13	120.41	111.50

There are no chirality outliers.

5 of 210 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	2301	PX4	C6-O4-P1-O1
3	B	2301	PX4	C24-C23-O7-C7
3	A	1305	PX4	C6-O4-P1-O1
3	A	1305	PX4	C6-O4-P1-O2
3	A	1305	PX4	C6-O4-P1-O3




There are no ring outliers.





12 monomers are involved in 29 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	2301	PX4	6	0
3	B	2308	PX4	3	0
3	A	1305	PX4	2	0
5	A	1313	SO4	2	0
3	A	1308	PX4	1	0
5	B	2312	SO4	2	0
3	B	2302	PX4	2	0
3	A	1309	PX4	1	0
3	A	1307	PX4	3	0
3	A	1310	PX4	1	0
3	B	2307	PX4	6	0
3	A	1303	PX4	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





























5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	221/285 (77%)	0.54	14 (6%) 20 19	44, 94, 170, 214	0
1	B	221/285 (77%)	0.57	17 (7%) 13 11	40, 92, 171, 228	0
All	All	442/570 (77%)	0.55	31 (7%) 16 14	40, 93, 171, 228	0

The worst 5 of 31 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1095	PHE	10.1
1	A	1090	PRO	7.0
1	B	2090	PRO	6.4
1	A	1094	GLY	5.6
1	B	2091	THR	5.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	SO4	B	2312	5/5	0.54	0.38	264,265,268,274	0
3	PX4	A	1305	23/46	0.73	0.38	69,122,246,246	0
3	PX4	B	2303	16/46	0.73	0.33	72,96,152,153	0
3	PX4	A	1308	20/46	0.74	0.45	84,103,140,141	0
3	PX4	A	1309	17/46	0.75	0.37	81,110,126,127	0
3	PX4	B	2308	25/46	0.78	0.33	71,104,261,262	0
3	PX4	A	1304	16/46	0.79	0.28	71,105,136,139	0
2	GAI	A	1301	4/4	0.80	0.15	106,108,109,111	0
4	NA	A	1312	1/1	0.81	0.32	88,88,88,88	0
4	NA	B	2311	1/1	0.82	0.24	86,86,86,86	0
3	PX4	B	2309	6/46	0.83	0.41	76,91,93,105	0
3	PX4	A	1302	10/46	0.86	0.21	123,135,168,171	0
3	PX4	A	1303	46/46	0.86	0.25	72,96,123,197	0
5	SO4	A	1313	5/5	0.87	0.24	155,155,156,162	0
3	PX4	A	1310	17/46	0.87	0.27	59,89,127,133	0
4	NA	B	2310	1/1	0.88	0.24	76,76,76,76	0
3	PX4	A	1306	6/46	0.88	0.13	79,88,96,109	0
4	NA	A	1311	1/1	0.88	0.28	82,82,82,82	0
3	PX4	B	2307	46/46	0.88	0.45	79,104,138,148	0
3	PX4	B	2302	46/46	0.89	0.34	52,100,143,162	0
3	PX4	B	2304	17/46	0.91	0.27	48,91,106,113	0
2	GAI	B	2305	4/4	0.92	0.10	104,112,114,121	0
3	PX4	B	2306	38/46	0.94	0.28	49,90,114,116	0
3	PX4	B	2301	37/46	0.95	0.22	62,90,120,134	0
3	PX4	A	1307	41/46	0.95	0.30	65,97,126,139	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PX4 A 1305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PX4 B 2303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PX4 A 1308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PX4 A 1309:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PX4 B 2308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PX4 A 1304:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GAI A 1301:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around PX4 A 1302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PX4 A 1303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PX4 A 1310:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PX4 A 1306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PX4 B 2307:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PX4 B 2302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PX4 B 2304:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GAI B 2305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PX4 B 2306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PX4 B 2301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.