



Full wwPDB X-ray Structure Validation Report i

Jun 29, 2022 – 01:08 pm BST

PDB ID : 5LY1
Title : JMJD2A/ KDM4A COMPLEXED WITH NI(II) AND Macroyclic PEPTIDE Inhibitor CP2 (13-mer)
Authors : King, O.N.F.; Chowdhury, R.; Kawamura, A.; Schofield, C.J.
Deposited on : 2016-09-23
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.29
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.29


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	GOL	B	503	-	-	X	-

2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 11711 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lysine-specific demethylase 4A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	349	Total	C 2803	N 1814	O 462	S 512	15	0	0
1	B	346	Total	C 2765	N 1795	O 456	S 500	14	0	0
1	C	342	Total	C 2768	N 1796	O 461	S 496	15	0	0
1	D	347	Total	C 2779	N 1802	O 460	S 503	14	0	0

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-21	MET	-	initiating methionine	UNP O75164
A	-20	HIS	-	expression tag	UNP O75164
A	-19	HIS	-	expression tag	UNP O75164
A	-18	HIS	-	expression tag	UNP O75164
A	-17	HIS	-	expression tag	UNP O75164
A	-16	HIS	-	expression tag	UNP O75164
A	-15	HIS	-	expression tag	UNP O75164
A	-14	SER	-	expression tag	UNP O75164
A	-13	SER	-	expression tag	UNP O75164
A	-12	GLY	-	expression tag	UNP O75164
A	-11	VAL	-	expression tag	UNP O75164
A	-10	ASP	-	expression tag	UNP O75164
A	-9	LEU	-	expression tag	UNP O75164
A	-8	GLY	-	expression tag	UNP O75164
A	-7	THR	-	expression tag	UNP O75164
A	-6	GLU	-	expression tag	UNP O75164
A	-5	ASN	-	expression tag	UNP O75164
A	-4	LEU	-	expression tag	UNP O75164
A	-3	TYR	-	expression tag	UNP O75164
A	-2	PHE	-	expression tag	UNP O75164
A	-1	GLN	-	expression tag	UNP O75164

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	expression tag	UNP O75164
B	-21	MET	-	initiating methionine	UNP O75164
B	-20	HIS	-	expression tag	UNP O75164
B	-19	HIS	-	expression tag	UNP O75164
B	-18	HIS	-	expression tag	UNP O75164
B	-17	HIS	-	expression tag	UNP O75164
B	-16	HIS	-	expression tag	UNP O75164
B	-15	HIS	-	expression tag	UNP O75164
B	-14	SER	-	expression tag	UNP O75164
B	-13	SER	-	expression tag	UNP O75164
B	-12	GLY	-	expression tag	UNP O75164
B	-11	VAL	-	expression tag	UNP O75164
B	-10	ASP	-	expression tag	UNP O75164
B	-9	LEU	-	expression tag	UNP O75164
B	-8	GLY	-	expression tag	UNP O75164
B	-7	THR	-	expression tag	UNP O75164
B	-6	GLU	-	expression tag	UNP O75164
B	-5	ASN	-	expression tag	UNP O75164
B	-4	LEU	-	expression tag	UNP O75164
B	-3	TYR	-	expression tag	UNP O75164
B	-2	PHE	-	expression tag	UNP O75164
B	-1	GLN	-	expression tag	UNP O75164
B	0	SER	-	expression tag	UNP O75164
C	-21	MET	-	initiating methionine	UNP O75164
C	-20	HIS	-	expression tag	UNP O75164
C	-19	HIS	-	expression tag	UNP O75164
C	-18	HIS	-	expression tag	UNP O75164
C	-17	HIS	-	expression tag	UNP O75164
C	-16	HIS	-	expression tag	UNP O75164
C	-15	HIS	-	expression tag	UNP O75164
C	-14	SER	-	expression tag	UNP O75164
C	-13	SER	-	expression tag	UNP O75164
C	-12	GLY	-	expression tag	UNP O75164
C	-11	VAL	-	expression tag	UNP O75164
C	-10	ASP	-	expression tag	UNP O75164
C	-9	LEU	-	expression tag	UNP O75164
C	-8	GLY	-	expression tag	UNP O75164
C	-7	THR	-	expression tag	UNP O75164
C	-6	GLU	-	expression tag	UNP O75164
C	-5	ASN	-	expression tag	UNP O75164
C	-4	LEU	-	expression tag	UNP O75164
C	-3	TYR	-	expression tag	UNP O75164

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	PHE	-	expression tag	UNP O75164
C	-1	GLN	-	expression tag	UNP O75164
C	0	SER	-	expression tag	UNP O75164
D	-21	MET	-	initiating methionine	UNP O75164
D	-20	HIS	-	expression tag	UNP O75164
D	-19	HIS	-	expression tag	UNP O75164
D	-18	HIS	-	expression tag	UNP O75164
D	-17	HIS	-	expression tag	UNP O75164
D	-16	HIS	-	expression tag	UNP O75164
D	-15	HIS	-	expression tag	UNP O75164
D	-14	SER	-	expression tag	UNP O75164
D	-13	SER	-	expression tag	UNP O75164
D	-12	GLY	-	expression tag	UNP O75164
D	-11	VAL	-	expression tag	UNP O75164
D	-10	ASP	-	expression tag	UNP O75164
D	-9	LEU	-	expression tag	UNP O75164
D	-8	GLY	-	expression tag	UNP O75164
D	-7	THR	-	expression tag	UNP O75164
D	-6	GLU	-	expression tag	UNP O75164
D	-5	ASN	-	expression tag	UNP O75164
D	-4	LEU	-	expression tag	UNP O75164
D	-3	TYR	-	expression tag	UNP O75164
D	-2	PHE	-	expression tag	UNP O75164
D	-1	GLN	-	expression tag	UNP O75164
D	0	SER	-	expression tag	UNP O75164

- Molecule 2 is a protein called CP2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	14	Total	C	N	O	S	0	0	0
			135	88	24	22	1			

- Molecule 3 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ni	0	0
			1	1		
3	B	1	Total	Ni	0	0
			1	1		
3	C	1	Total	Ni	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	1	Total Ni 1 1	0	0


- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Zn 1 1	0	0
4	B	1	Total Zn 1 1	0	0
4	C	1	Total Zn 1 1	0	0
4	D	1	Total Zn 1 1	0	0

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Cl 1 1	0	0
5	C	1	Total Cl 1 1	0	0
5	D	1	Total Cl 1 1	0	0

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0

- Molecule 7 is PROPANOIC ACID (three-letter code: PPI) (formula: C₃H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C O 5 3 2	0	0
7	B	1	Total C O 5 3 2	0	0
7	D	1	Total C O 5 3 2	0	0

- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	97	Total O 97 97	0	0
8	B	74	Total O 74 74	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	C	124	Total O 124 124	0	0
8	D	103	Total O 103 103	0	0
8	E	7	Total O 7 7	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Lysine-specific demethylase 4A




- Molecule 1: Lysine-specific demethylase 4A




- Molecule 1: Lysine-specific demethylase 4A



- Molecule 1: Lysine-specific demethylase 4A





- Molecule 2: CP2

Chain E: 43% 50% 7%



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	57.27 Å 101.48 Å 140.33 Å 90.00° 99.56° 90.00°	Depositor
Resolution (Å)	49.34 – 2.50 49.34 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.1 (49.34-2.50) 98.1 (49.34-2.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	1.99 (at 2.51 Å)	Xtriage
Refinement program	PHENIX (1.10_2155: ???)	Depositor
R , R_{free}	0.178 , 0.205 0.188 , 0.210	Depositor DCC
R_{free} test set	2721 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	46.4	Xtriage
Anisotropy	0.160	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.023 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11711	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 19.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, DTY, 48V, PPI, GOL, CL, NI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.31	0/2890	0.48	0/3930
1	B	0.31	0/2852	0.49	0/3878
1	C	0.32	0/2854	0.50	0/3873
1	D	0.32	0/2866	0.49	0/3898
2	E	0.99	0/118	0.83	0/161
All	All	0.33	0/11580	0.50	0/15740

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2803	0	2646	22	0
1	B	2765	0	2603	34	0
1	C	2768	0	2645	28	0
1	D	2779	0	2610	29	0
2	E	135	0	115	13	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	1	0
6	A	6	0	8	0	0
6	B	12	0	16	6	0
6	C	12	0	16	2	0
7	A	5	0	5	0	0
7	B	5	0	5	0	0
7	D	5	0	5	0	0
8	A	97	0	0	0	0
8	B	74	0	0	3	0
8	C	124	0	0	0	0
8	D	103	0	0	1	0
8	E	7	0	0	0	0
All	All	11711	0	10674	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:88:GLN:NE2	2:E:0:48V:H9	1.88	0.89
1:C:135:ASP:OD2	2:E:7:SER:HB3	1.75	0.86
1:D:90:LYS:HB2	2:E:1:DTY:CE1	2.08	0.83
1:D:88:GLN:CD	2:E:0:48V:H9	1.98	0.83
1:D:301:LYS:NZ	1:D:325:GLN:OE1	2.22	0.73
1:B:127:PHE:O	1:B:182:LYS:NZ	2.24	0.69
1:D:88:GLN:H	2:E:13:THR:HG22	1.60	0.66
1:D:196:SER:HB3	1:D:270:THR:HB	1.77	0.65
1:C:85:TYR:CD1	1:D:74:LEU:HD21	2.31	0.65
1:B:110:ARG:O	1:B:120:LYS:NZ	2.32	0.62
1:B:196:SER:HB3	1:B:270:THR:HB	1.82	0.61
1:D:181:TRP:CE2	1:D:182:LYS:HG3	2.35	0.61
1:B:33:TYR:CD1	6:B:503:GOL:H12	2.37	0.60
1:C:63:ASP:OD1	1:C:98:ARG:NH2	2.38	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:PHE:O	1:A:182:LYS:NZ	2.30	0.55
1:A:218:ARG:NH2	1:A:254:GLY:O	2.41	0.54
1:D:63:ASP:HA	1:D:94:VAL:CG2	2.38	0.53
1:C:125:LEU:HD21	1:C:244:LEU:HD23	1.90	0.53
1:A:179:GLY:O	1:A:283:PHE:HA	2.09	0.52
1:D:125:LEU:HD21	1:D:244:LEU:HD23	1.91	0.52
1:D:88:GLN:CD	2:E:0:48V:C08	2.76	0.51
1:D:74:LEU:HD13	1:D:87:ILE:HD12	1.91	0.51
1:D:179:GLY:O	1:D:283:PHE:HA	2.10	0.51
1:D:241:LYS:NZ	8:D:602:HOH:O	2.33	0.51
1:D:88:GLN:OE1	2:E:0:48V:H9	2.09	0.51
1:B:23:GLU:OE1	6:B:503:GOL:O2	2.20	0.51
1:A:153:LEU:HD11	1:A:197:ILE:HG21	1.92	0.50
2:E:3:TYR:CE1	2:E:10:ARG:HD2	2.46	0.50
1:C:105:LYS:O	1:C:128:ASN:ND2	2.45	0.50
1:B:166:ILE:HG12	1:C:138:GLY:HA2	1.93	0.49
1:C:179:GLY:O	1:C:283:PHE:HA	2.12	0.49
1:A:75:VAL:HG11	1:A:125:LEU:HG	1.94	0.49
1:C:61:ASP:OD1	1:C:61:ASP:N	2.42	0.49
1:B:198:ASN:OD1	8:B:601:HOH:O	2.20	0.49
1:B:150:ILE:HG23	1:B:289:THR:HG22	1.96	0.48
1:C:8:LEU:HD13	1:C:36:SER:O	2.13	0.48
1:C:341:ILE:HD12	6:C:405:GOL:H11	1.96	0.48
1:D:155:THR:OG1	1:D:292:ALA:O	2.31	0.48
1:A:135:ASP:HA	1:A:175:TYR:CD2	2.49	0.48
1:B:206:LYS:HE2	8:B:601:HOH:O	2.14	0.47
1:C:29:ARG:NH1	1:C:352:GLU:OE2	2.47	0.47
1:C:218:ARG:NH2	1:C:254:GLY:O	2.47	0.47
1:B:209:TYR:O	1:B:276:HIS:HA	2.15	0.47
1:D:229:GLY:N	5:D:503:CL:CL	2.85	0.47
1:D:92:MET:CE	1:D:97:PHE:HA	2.44	0.46
1:D:88:GLN:OE1	2:E:0:48V:C08	2.64	0.46
1:A:186:ALA:HA	1:A:244:LEU:HD23	1.97	0.46
1:B:206:LYS:CE	8:B:601:HOH:O	2.64	0.46
1:A:154:ARG:HG3	1:A:154:ARG:O	2.16	0.46
1:C:306:CYS:O	1:C:312:MET:SD	2.73	0.46
1:A:327:GLU:OE2	1:A:327:GLU:N	2.49	0.46
1:B:349:GLU:OE1	1:B:349:GLU:N	2.49	0.46
1:C:196:SER:HB3	1:C:270:THR:OG1	2.15	0.45
2:E:1:DTY:CE2	2:E:2:VAL:HG12	2.46	0.45
1:D:219:LEU:HA	1:D:255:ILE:HD13	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:TYR:HB2	1:A:267:PHE:CE1	2.52	0.45
1:A:155:THR:HG21	1:A:291:PHE:HB2	1.99	0.45
1:C:121:TYR:CZ	1:C:125:LEU:HD13	2.52	0.45
1:C:135:ASP:OD1	2:E:7:SER:HB2	2.17	0.45
1:C:341:ILE:CD1	6:C:405:GOL:H11	2.47	0.45
1:C:153:LEU:HD11	1:C:197:ILE:HG21	1.99	0.44
1:A:9:ASN:N	1:A:10:PRO:HD3	2.32	0.44
1:C:85:TYR:CG	1:D:74:LEU:HD21	2.53	0.44
1:A:325:GLN:N	1:A:326:PRO:CD	2.80	0.44
1:A:74:LEU:HD11	1:B:85:TYR:HB2	2.00	0.44
1:A:74:LEU:HD11	1:B:85:TYR:CB	2.48	0.44
1:B:33:TYR:CD1	6:B:503:GOL:C1	3.00	0.44
1:B:263:GLU:O	1:B:266:GLU:HB2	2.18	0.43
1:C:309:ARG:HG3	2:E:9:TRP:CZ2	2.52	0.43
1:B:33:TYR:CE1	6:B:503:GOL:H12	2.52	0.43
1:B:33:TYR:CG	6:B:503:GOL:H12	2.53	0.43
1:B:61:ASP:OD1	1:B:61:ASP:N	2.47	0.43
1:C:135:ASP:CG	2:E:7:SER:HB3	2.39	0.43
1:D:63:ASP:HA	1:D:94:VAL:HG23	2.00	0.43
1:A:295:ARG:HB2	1:A:347:THR:HA	2.01	0.43
1:D:209:TYR:O	1:D:276:HIS:HA	2.19	0.43
1:B:217:LYS:HD2	1:B:273:TYR:OH	2.19	0.43
1:B:327:GLU:OE2	1:B:327:GLU:N	2.39	0.42
1:B:325:GLN:N	1:B:326:PRO:CD	2.82	0.42
1:D:195:TYR:HB3	1:D:291:PHE:CZ	2.54	0.42
1:B:353:PHE:CE2	6:B:503:GOL:H11	2.54	0.42
1:B:19:PRO:HB3	1:B:30:TYR:CZ	2.55	0.42
1:B:56:ARG:HD3	1:B:59:TYR:CE1	2.54	0.42
1:B:82:PHE:HB2	1:B:244:LEU:HB2	2.01	0.42
1:B:179:GLY:O	1:B:283:PHE:HA	2.19	0.42
1:C:17:PHE:HB3	1:C:30:TYR:OH	2.19	0.42
1:A:8:LEU:HD13	1:A:36:SER:O	2.20	0.42
1:B:218:ARG:NH2	1:B:254:GLY:O	2.52	0.42
1:C:150:ILE:HG23	1:C:289:THR:HG22	2.02	0.42
1:C:141:TYR:CE2	1:C:149:ASN:HA	2.54	0.42
1:A:197:ILE:O	1:A:288:SER:HA	2.20	0.41
1:A:74:LEU:HD11	1:A:87:ILE:HD11	2.02	0.41
1:A:85:TYR:CD1	1:B:74:LEU:HD11	2.56	0.41
1:B:187:TRP:CZ2	1:B:250:LEU:HD11	2.55	0.41
1:C:328:ARG:NH1	1:C:339:THR:OG1	2.53	0.41
1:A:195:TYR:HB3	1:A:291:PHE:CE1	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:190:GLU:HG3	1:D:196:SER:HB2	2.02	0.41
1:B:121:TYR:CZ	1:B:125:LEU:HD13	2.56	0.41
1:C:75:VAL:HG11	1:C:125:LEU:HG	2.03	0.41
1:B:298:GLU:OE1	1:B:302:GLN:NE2	2.54	0.41
1:D:19:PRO:HB3	1:D:30:TYR:CZ	2.56	0.41
1:A:325:GLN:N	1:A:326:PRO:HD3	2.36	0.40
1:B:215:HIS:CE1	1:B:256:PRO:HG2	2.56	0.40
1:C:82:PHE:HB2	1:C:244:LEU:HB2	2.02	0.40
1:D:93:THR:OG1	1:D:96:GLU:HG3	2.22	0.40
1:C:155:THR:HG21	1:C:291:PHE:HB2	2.03	0.40
1:D:75:VAL:HG11	1:D:125:LEU:HG	2.03	0.40
1:D:155:THR:HG21	1:D:291:PHE:HB2	2.02	0.40
1:B:20:THR:OG1	1:B:23:GLU:HG2	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	347/381 (91%)	342 (99%)	5 (1%)	0	100 100
1	B	344/381 (90%)	341 (99%)	3 (1%)	0	100 100
1	C	338/381 (89%)	334 (99%)	4 (1%)	0	100 100
1	D	345/381 (91%)	341 (99%)	4 (1%)	0	100 100
2	E	11/14 (79%)	11 (100%)	0	0	100 100
All	All	1385/1538 (90%)	1369 (99%)	16 (1%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	290/335 (87%)	287 (99%)	3 (1%)	76 90
1	B	281/335 (84%)	278 (99%)	3 (1%)	73 89
1	C	287/335 (86%)	286 (100%)	1 (0%)	92 97
1	D	281/335 (84%)	278 (99%)	3 (1%)	73 89
2	E	11/11 (100%)	11 (100%)	0	100 100
All	All	1150/1351 (85%)	1140 (99%)	10 (1%)	78 92

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	132	TYR
1	A	175	TYR
1	A	318	ASP
1	B	129	PRO
1	B	175	TYR
1	B	196	SER
1	C	132	TYR
1	D	61	ASP
1	D	63	ASP
1	D	132	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	48V	E	0	2	9,9,10	0.87	0	8,10,12	1.25	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	48V	E	0	2	-	5/8/9/10	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	E	0	48V	C03-C02-N01	2.25	118.04	109.45

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	0	48V	C03-C02-C06-S07
2	E	0	48V	C06-C02-C03-N05
2	E	0	48V	C06-C02-C03-O04
2	E	0	48V	N01-C02-C03-O04
2	E	0	48V	C09-C08-S07-C06

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	0	48V	5	0

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 19 ligands modelled in this entry, 11 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	PPI	B	505	-	4,4,4	0.99	0	4,4,4	1.08	0
6	GOL	B	504	-	5,5,5	0.37	0	5,5,5	0.26	0
6	GOL	C	401	-	5,5,5	0.40	0	5,5,5	0.26	0
7	PPI	D	504	-	4,4,4	0.97	0	4,4,4	1.06	0
6	GOL	A	504	-	5,5,5	0.46	0	5,5,5	0.27	0
6	GOL	B	503	-	5,5,5	0.25	0	5,5,5	0.28	0
7	PPI	A	505	-	4,4,4	0.98	0	4,4,4	1.13	0
6	GOL	C	405	-	5,5,5	0.37	0	5,5,5	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	PPI	B	505	-	-	0/2/2/2	-
6	GOL	B	504	-	-	0/4/4/4	-
6	GOL	C	401	-	-	0/4/4/4	-
7	PPI	D	504	-	-	0/2/2/2	-
6	GOL	A	504	-	-	0/4/4/4	-
6	GOL	B	503	-	-	0/4/4/4	-
7	PPI	A	505	-	-	0/2/2/2	-
6	GOL	C	405	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	503	GOL	6	0
6	C	405	GOL	2	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.