



## wwPDB EM Validation Summary Report ⓘ

Aug 17, 2022 – 02:24 am BST

PDB ID : 7Q4D  
EMDB ID : EMD-13803  
Title : Local refinement structure of the two interacting N-domains of full-length, dimeric, soluble somatic angiotensin I-converting enzyme  
Authors : Lubbe, L.; Sewell, B.T.; Sturrock, E.D.  
Deposited on : 2021-10-30  
Resolution : 3.78 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev8  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.29


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1211	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">9%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 9%, orange 9%, yellow 9%, green 9%, grey 9%);"></div> <div style="text-align: center;">44%</div> <div style="text-align: center;">6%</div> <div style="text-align: center;">50%</div> </div>
1	B	1211	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">9%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 9%, orange 9%, yellow 9%, green 9%, grey 9%);"></div> <div style="text-align: center;">44%</div> <div style="text-align: center;">6%</div> <div style="text-align: center;">50%</div> </div>
2	C	7	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">86%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 86%, orange 86%, yellow 86%, green 86%, grey 86%);"></div> <div style="text-align: center;">43%</div> <div style="text-align: center;">57%</div> </div>
2	M	7	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">14%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 14%, orange 14%, yellow 14%, green 14%, grey 14%);"></div> <div style="text-align: center;">86%</div> <div style="text-align: center;">86%</div> </div>
3	D	3	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">100%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 100%, orange 100%, yellow 100%, green 100%, grey 100%);"></div> <div style="text-align: center;">67%</div> <div style="text-align: center;">33%</div> </div>
3	G	3	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">67%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 67%, orange 67%, yellow 67%, green 67%, grey 67%);"></div> <div style="text-align: center;">67%</div> <div style="text-align: center;">33%</div> </div>
3	H	3	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">100%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 100%, orange 100%, yellow 100%, green 100%, grey 100%);"></div> <div style="text-align: center;">33%</div> <div style="text-align: center;">67%</div> </div>
3	J	3	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">67%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 67%, orange 67%, yellow 67%, green 67%, grey 67%);"></div> <div style="text-align: center;">100%</div> </div>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	N	3	<p>100% 33% 67%</p>
3	P	3	<p>100% 100%</p>
4	E	4	<p>100% 50% 25% 25%</p>
4	K	4	<p>100% 50% 50%</p>
5	F	5	<p>60% 20% 80%</p>
5	L	5	<p>60% 100% 100%</p>
6	I	2	<p>100% 100%</p>
6	O	2	<p>100% 50% 50%</p>

## 2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 20776 atoms, of which 10140 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Angiotensin-converting enzyme.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
1	A	608	9690	3184	4731	851	905	19	0	0
1	B	608	9690	3184	4731	851	905	19	0	0

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	576	LEU	PRO	engineered mutation	UNP P12821
B	576	LEU	PRO	engineered mutation	UNP P12821

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
2	C	7	165	48	80	3	34	0	0
2	M	7	165	48	80	3	34	0	0

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					AltConf	Trace
3	D	3	Total	C	H	N	O	0	0
			76	22	37	2	15		
3	G	3	Total	C	H	N	O	0	0
			76	22	37	2	15		
3	H	3	Total	C	H	N	O	0	0
			76	22	37	2	15		
3	J	3	Total	C	H	N	O	0	0
			76	22	37	2	15		
3	N	3	Total	C	H	N	O	0	0
			76	22	37	2	15		
3	P	3	Total	C	H	N	O	0	0
			76	22	37	2	15		

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					AltConf	Trace
4	E	4	Total	C	H	N	O	0	0
			97	28	47	2	20		
4	K	4	Total	C	H	N	O	0	0
			97	28	47	2	20		

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					AltConf	Trace
5	F	5	Total	C	H	N	O	0	0
			124	36	60	3	25		
5	L	5	Total	C	H	N	O	0	0
			124	36	60	3	25		

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					AltConf	Trace
6	I	2	Total	C	H	N	O	0	0
			55	16	27	2	10		
6	O	2	Total	C	H	N	O	0	0
			55	16	27	2	10		

- Molecule 7 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
7	A	1	Total	Zn	0
			1	1	
7	B	1	Total	Zn	0
			1	1	

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
8	A	1	Total	C	H	N	O	0
			28	8	14	1	5	
8	B	1	Total	C	H	N	O	0
			28	8	14	1	5	









- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	215632	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; cryoSPARC patch-based CTF estimation	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	43	Depositor
Minimum defocus (nm)	1800	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.065	Depositor
Minimum map value	-1.202	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.040	Depositor
Recommended contour level	0.55	Depositor
Map size ( $\text{\AA}$ )	381.59998, 381.59998, 381.59998	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.06, 1.06, 1.06	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, BMA, NAG, MAN, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.40	0/5116	0.55	0/6973
1	B	0.40	0/5116	0.57	0/6973
All	All	0.40	0/10232	0.56	0/13946

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
All	All	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	467	ARG	Sidechain
1	A	96	ARG	Sidechain
1	B	467	ARG	Sidechain

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4959	4731	4731	47	0
1	B	4959	4731	4731	44	0
2	C	85	80	73	0	0
2	M	85	80	73	1	0
3	D	39	37	34	0	0
3	G	39	37	34	0	0
3	H	39	37	34	0	0
3	J	39	37	34	0	0
3	N	39	37	34	0	0
3	P	39	37	34	0	0
4	E	50	47	43	1	0
4	K	50	47	43	0	0
5	F	64	60	55	0	0
5	L	64	60	55	0	0
6	I	28	27	25	0	0
6	O	28	27	25	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
8	A	14	14	13	1	0
8	B	14	14	13	0	0
All	All	10636	10140	10084	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 92 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:365:HIS:CE1	1:A:389:GLU:OE1	2.27	0.87
1:B:365:HIS:CE1	1:B:389:GLU:OE1	2.28	0.86
1:B:237:TYR:CZ	1:B:252:LEU:HD22	2.26	0.70
1:A:237:TYR:CZ	1:A:252:LEU:HD22	2.27	0.69
1:B:369:TYR:HD1	1:B:372:TYR:HH	1.41	0.68

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	606/1211 (50%)	591 (98%)	15 (2%)	0	100	100
1	B	606/1211 (50%)	591 (98%)	15 (2%)	0	100	100
All	All	1212/2422 (50%)	1182 (98%)	30 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	523/1049 (50%)	522 (100%)	1 (0%)	93	97
1	B	523/1049 (50%)	522 (100%)	1 (0%)	93	97
All	All	1046/2098 (50%)	1044 (100%)	2 (0%)	93	97

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	368	TYR
1	B	368	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	360	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	494	ASN
1	B	545	GLN
1	B	526	HIS
1	A	494	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

54 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	C	1	2,1	14,14,15	0.31	0	17,19,21	0.94	1 (5%)
2	NAG	C	2	2	14,14,15	0.20	0	17,19,21	0.44	0
2	BMA	C	3	2	11,11,12	0.74	0	15,15,17	1.24	1 (6%)
2	MAN	C	4	2	11,11,12	0.95	1 (9%)	15,15,17	0.93	0
2	NAG	C	5	2	14,14,15	0.31	0	17,19,21	0.62	0
2	MAN	C	6	2	11,11,12	0.83	1 (9%)	15,15,17	1.11	2 (13%)
2	FUC	C	7	2	10,10,11	0.61	0	14,14,16	0.80	0
3	NAG	D	1	1,3	14,14,15	0.90	1 (7%)	17,19,21	0.58	0
3	NAG	D	2	3	14,14,15	0.44	0	17,19,21	0.65	0
3	BMA	D	3	3	11,11,12	0.50	0	15,15,17	0.75	0
4	NAG	E	1	4,1	14,14,15	0.99	1 (7%)	17,19,21	0.75	0
4	NAG	E	2	4	14,14,15	0.40	0	17,19,21	0.58	0
4	BMA	E	3	4	11,11,12	0.75	0	15,15,17	0.92	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	MAN	E	4	4	11,11,12	0.63	0	15,15,17	1.13	2 (13%)
5	NAG	F	1	5,1	14,14,15	0.67	0	17,19,21	0.62	0
5	NAG	F	2	5	14,14,15	0.52	0	17,19,21	1.25	1 (5%)
5	BMA	F	3	5	11,11,12	0.70	0	15,15,17	1.62	1 (6%)
5	MAN	F	4	5	11,11,12	0.66	0	15,15,17	1.10	2 (13%)
5	NAG	F	5	5	14,14,15	0.62	1 (7%)	17,19,21	0.48	0
3	NAG	G	1	1,3	14,14,15	0.91	1 (7%)	17,19,21	0.65	0
3	NAG	G	2	3	14,14,15	0.30	0	17,19,21	0.70	0
3	BMA	G	3	3	11,11,12	0.53	0	15,15,17	0.74	0
3	NAG	H	1	1,3	14,14,15	1.27	1 (7%)	17,19,21	0.77	0
3	NAG	H	2	3	14,14,15	0.61	0	17,19,21	0.51	0
3	BMA	H	3	3	11,11,12	0.47	0	15,15,17	0.95	1 (6%)
6	NAG	I	1	6,1	14,14,15	0.44	0	17,19,21	0.63	0
6	NAG	I	2	6	14,14,15	0.27	0	17,19,21	0.54	0
3	NAG	J	1	1,3	14,14,15	1.01	1 (7%)	17,19,21	0.74	0
3	NAG	J	2	3	14,14,15	0.38	0	17,19,21	0.76	1 (5%)
3	BMA	J	3	3	11,11,12	0.52	0	15,15,17	0.88	1 (6%)
4	NAG	K	1	4,1	14,14,15	1.12	1 (7%)	17,19,21	0.81	0
4	NAG	K	2	4	14,14,15	0.36	0	17,19,21	0.51	0
4	BMA	K	3	4	11,11,12	0.75	0	15,15,17	0.93	0
4	MAN	K	4	4	11,11,12	0.59	0	15,15,17	1.09	2 (13%)
5	NAG	L	1	5,1	14,14,15	0.68	0	17,19,21	0.72	1 (5%)
5	NAG	L	2	5	14,14,15	0.54	0	17,19,21	1.31	1 (5%)
5	BMA	L	3	5	11,11,12	0.57	0	15,15,17	1.37	1 (6%)
5	MAN	L	4	5	11,11,12	0.85	1 (9%)	15,15,17	1.05	1 (6%)
5	NAG	L	5	5	14,14,15	0.70	1 (7%)	17,19,21	0.55	0
2	NAG	M	1	2,1	14,14,15	0.54	0	17,19,21	1.09	1 (5%)
2	NAG	M	2	2	14,14,15	0.21	0	17,19,21	0.46	0
2	BMA	M	3	2	11,11,12	0.70	0	15,15,17	1.04	1 (6%)
2	MAN	M	4	2	11,11,12	0.75	0	15,15,17	2.57	3 (20%)
2	NAG	M	5	2	14,14,15	0.56	0	17,19,21	0.56	0
2	MAN	M	6	2	11,11,12	0.59	0	15,15,17	1.13	2 (13%)
2	FUC	M	7	2	10,10,11	0.60	0	14,14,16	0.75	0
3	NAG	N	1	1,3	14,14,15	0.93	1 (7%)	17,19,21	0.60	0
3	NAG	N	2	3	14,14,15	0.39	0	17,19,21	0.73	1 (5%)
3	BMA	N	3	3	11,11,12	0.52	0	15,15,17	0.74	0
6	NAG	O	1	6,1	14,14,15	0.41	0	17,19,21	0.61	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	NAG	O	2	6	14,14,15	0.16	0	17,19,21	0.66	1 (5%)
3	NAG	P	1	1,3	14,14,15	1.16	1 (7%)	17,19,21	0.79	0
3	NAG	P	2	3	14,14,15	0.83	1 (7%)	17,19,21	0.64	0
3	BMA	P	3	3	11,11,12	0.53	0	15,15,17	0.82	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1
2	BMA	C	3	2	-	0/2/19/22	0/1/1/1
2	MAN	C	4	2	-	0/2/19/22	0/1/1/1
2	NAG	C	5	2	-	1/6/23/26	0/1/1/1
2	MAN	C	6	2	-	0/2/19/22	0/1/1/1
2	FUC	C	7	2	-	-	0/1/1/1
3	NAG	D	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	2/6/23/26	0/1/1/1
3	BMA	D	3	3	-	0/2/19/22	0/1/1/1
4	NAG	E	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	E	2	4	-	0/6/23/26	0/1/1/1
4	BMA	E	3	4	-	0/2/19/22	0/1/1/1
4	MAN	E	4	4	-	0/2/19/22	0/1/1/1
5	NAG	F	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	F	2	5	-	0/6/23/26	0/1/1/1
5	BMA	F	3	5	-	0/2/19/22	0/1/1/1
5	MAN	F	4	5	-	0/2/19/22	0/1/1/1
5	NAG	F	5	5	-	1/6/23/26	0/1/1/1
3	NAG	G	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	G	2	3	-	0/6/23/26	0/1/1/1
3	BMA	G	3	3	-	0/2/19/22	0/1/1/1
3	NAG	H	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	H	2	3	-	0/6/23/26	0/1/1/1
3	BMA	H	3	3	-	0/2/19/22	0/1/1/1
6	NAG	I	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	I	2	6	-	2/6/23/26	0/1/1/1
3	NAG	J	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	J	2	3	-	0/6/23/26	0/1/1/1
3	BMA	J	3	3	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	K	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	K	2	4	-	1/6/23/26	0/1/1/1
4	BMA	K	3	4	-	0/2/19/22	0/1/1/1
4	MAN	K	4	4	-	0/2/19/22	0/1/1/1
5	NAG	L	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	L	2	5	-	0/6/23/26	0/1/1/1
5	BMA	L	3	5	-	0/2/19/22	0/1/1/1
5	MAN	L	4	5	-	0/2/19/22	0/1/1/1
5	NAG	L	5	5	-	2/6/23/26	0/1/1/1
2	NAG	M	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	M	2	2	-	0/6/23/26	0/1/1/1
2	BMA	M	3	2	-	0/2/19/22	0/1/1/1
2	MAN	M	4	2	-	0/2/19/22	0/1/1/1
2	NAG	M	5	2	-	1/6/23/26	0/1/1/1
2	MAN	M	6	2	-	0/2/19/22	0/1/1/1
2	FUC	M	7	2	-	-	0/1/1/1
3	NAG	N	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	N	2	3	-	2/6/23/26	0/1/1/1
3	BMA	N	3	3	-	0/2/19/22	0/1/1/1
6	NAG	O	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	O	2	6	-	2/6/23/26	0/1/1/1
3	NAG	P	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	P	2	3	-	0/6/23/26	0/1/1/1
3	BMA	P	3	3	-	0/2/19/22	0/1/1/1

The worst 5 of 14 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	1	NAG	O5-C1	-4.57	1.36	1.43
3	P	1	NAG	O5-C1	-4.20	1.37	1.43
4	K	1	NAG	O5-C1	-4.10	1.37	1.43
3	J	1	NAG	O5-C1	-3.69	1.37	1.43
4	E	1	NAG	O5-C1	-3.61	1.38	1.43

The worst 5 of 29 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	4	MAN	O2-C2-C3	-6.64	96.84	110.14
2	M	4	MAN	C1-C2-C3	6.39	117.52	109.67
5	F	3	BMA	C1-O5-C5	5.25	119.30	112.19
5	L	2	NAG	C1-O5-C5	4.93	118.88	112.19
5	F	2	NAG	C1-O5-C5	4.71	118.57	112.19

There are no chirality outliers.

5 of 21 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	N	2	NAG	O5-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
6	O	2	NAG	C4-C5-C6-O6
6	O	2	NAG	O5-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6


There are no ring outliers.



3 monomers are involved in 2 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	1	NAG	1	0
2	M	2	NAG	1	0
2	M	5	NAG	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.
























## 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
8	NAG	B	1302	1	14,14,15	0.38	0	17,19,21	1.01	1 (5%)
8	NAG	A	1302	1	14,14,15	0.15	0	17,19,21	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	B	1302	1	-	1/6/23/26	0/1/1/1
8	NAG	A	1302	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	1302	NAG	C1-O5-C5	3.24	116.58	112.19

There are no chirality outliers.

All (3) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
8	B	1302	NAG	O5-C5-C6-O6
8	A	1302	NAG	O5-C5-C6-O6
8	A	1302	NAG	C1-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	1302	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13803. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)

#### 6.1.1 Primary map




#### 6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


### 6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 180




Y Index: 162



Z Index: 158


### 6.3.2 Raw map



X Index: 180



Y Index: 162




Z Index: 158

The images above show the largest variance slices of the map in three orthogonal directions.


## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.55. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.5.1 emd\_13803\_msk\_2.map [i](#)



X




Y




Z


### 6.5.2 emd\_13803\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 57 nm<sup>3</sup>; this corresponds to an approximate mass of 52 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.265 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of  $0.265 \text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.78	-	-
Author-provided FSC curve	3.78	4.80	3.80
Unmasked-calculated*	4.73	7.60	4.90

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.73 differs from the reported value 3.78 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-13803 and PDB model 7Q4D. Per-residue inclusion information can be found in section 3 on page 7.


### 9.1 Map-model overlay [i](#)



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.55 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 68% of all non-hydrogen atoms, are inside the map.